Petrorhagia nanteuilii (Burnat) P. Ball & Heywood

Childing Pink

Key: **Dots** refer to the native sites of the species **Numbers** refer to the nearby Botanical Collections



Starting references

Family

Caryophyllaceae

IUCN category (2001)

Vulnerable

Habit

Herb (annual).

Habitat

Shingle and sand-dunes.

Reasons for decline

Building development.

Distribution in wild

Country	Locality & Vice County	Sites (10km² occurences)	Population (plants)
England	Pagham, W. Sussex	3	Few-10,000s

Ex situ Collections

Gardens close to the region of distribution of the species

- 1 West Dean Gardens
- 2 Newhaven Botanic Garden
- 3 Sheffield Park
- 4 High Beeches Gardens
- 5 Nymans Garden
- 6 Borde Hill Garden

Gardens with specialisation on family Caryophyllaceae

University of Oxford Botanic Garden

Potential to grow the species in ex situ Collections

Conservation information

Petrorhagia nanteuilii is listed on Schedule 8 of the Wildlife and Countryside Act, 1981

Linkages to BAPs

From Rio to Sussex, Action for Biodiversity

Habitat Management

The largest populations are protected by being in a bird breeding area to which human access is limited during the summer.

Protected sites with records for P. nanteuilii are listed on http://www.searchnbn.net

Conservation programmes

Unknown

Web References

NBN Gateway database: http://www.searchnbn.net